


SHOWMAN

HORSE FEED

A pelleted/extruded feed for mature horses in moderate to intense performance and show activities

LOW SUGAR/STARCH FORMULA / DESIGNED TO HELP SUPPORT MUSCLE STRENGTH

GREAT FOR PERFORMANCE HORSES



MINIMUM FEEDING RATE

Recommended minimum feeding rates are found by matching the expected mature body weight and the status of the horse in the table below.

EXPECTED MATURE BODY WEIGHT	250 lb	500 lb	1,000 lb	1,500 lb	2,000 lb
MAINTENANCE/LAY UP	1.0	2.0	4.0	6.0	8.0
LIGHT EXERCISE	1.5	3.0	6.0	9.0	10.0
MODERATE EXERCISE	1.75	3.5	7.5	11.0	14.5
HEAVY EXERCISE	2.0	4.0	8.0	12.0	16.0
INTENSE EXERCISE	2.5	5.0	9.5	14.5	19.0

MINIMUM POUNDS OF FEED PER DAY

Feed hay/pasture at a rate of 1-1.5% of body weight daily. Salt should be available free choice. Fresh clean water should be available at all times. Store feed in a clean, dry, well ventilated area protected from rodents and insects. Do not feed moldy or insect infested feed to animals. Consult with a veterinarian for a recommended diet.

GUARANTEED ANALYSIS

Crude Protein (min.)	12.00%
Lysine (min.)	
Methionine (min.)	
Threonine (min.)	0.58%
Tryptophan (min.)	
Crude Fat (min.)	
Crude Fiber (max.)	
Acid Detergent Fiber (max.)	22.00%
Neutral Detergent Fiber (max.)	40.00%
Dietary Starch (max.)	10.00%
Sugars (max.)	
Calcium (min.)	
Calcium (max.)	1.25%
Phosphorus (min.)	
Potassium (min.)	
Magnesium (min.)	0.40%
Sulfur (min.)	0.20%
Copper (min.)	
Selenium (min.)	
Selenium (max.)	
Zinc (min.)	
Manganese (min.)	
Iron (min.)	
lodine (min.)	2.0 ppm
Cobalt (min.)	1.0 ppm
Vitamin A (min.)	6,000 IU/lb
Vitamin D3 (min.)	1,000 IU/lb
Vitamin E (min.)	200 IU/lb
Riboflavin (min.)	2.20 mg/lb
Thiamine (min.)	6.50 mg/lb
Biotin (min.)	0.30 mg/lb
Saccharomyces Cerevisiae (min.)	2.8 billion CFU/lb
Omega-3 Fatty Acids (min.)	0.90%
Omega-6 Fatty Acids (min.)	4.80%
Ascorbic Acid (min.)	110 mg/lb
Total Microbial Count* (min.)	3.0 billion CFU/lb
Protease (Bacillus Subtilis)** (min.)	
Alpha-Amylase (Bacillus Licheniformis)*** (min.)	250 U/lb

INGREDIENTS

Soybean Hulls, Wheat Middlings, Maize Distillers Dried Grains Rice Bran, Dehydrated Alfalfa Meal. Sovbean Oil, Cane Molasses, Dried Plain Beet Pulp, Calcite, Flaxseed, Salt, Calcium Carbonate, Lignin Sulfonate, L-Lysine, DL-Methionine, L-Threonine, Magnesium Oxide, L-Tryptophan, Choline Chloride, Iron Oxide, Propionic Acid (a preservative), Selenium Yeast, Ground Corn, Whole Flaxseed. Wheat Flour. Vitamin E Supplement, Yeast Culture, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Dried Kelp, Iron Amino Acid Complex, Sodium Bicarbonate, Sodium Sulfate, Sodium Citrate, Ascorbic Acid, Citric Acid (a preservative), Sodium Metabisulfite (a preservative), Brewers Dried Yeast, Vitamin D3

Supplement, Dried Bacillus subtilis Fermentation Product, Dried Bacillus licheniformis Fermentation Product, Hydrolyzed Yeast, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Dried Trichoderma reesei Fermentation Product, Biotin. Copper Sulfate, Folic Acid, Thiamine Mononitrate, Vitamin A Acetate, Riboflavin Supplement, Cobalt Sulfate, Ethylenediamine Dihydroiodide, Vitamin B12 Supplement, Niacin Supplement, d-Calcium Pantothenate, Pyridoxine Hydrochloride, Sodium Selenite, Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium longum fermentation product, Dried Enterococcus faecium Fermentation Product, Lecithin, Natural Flavors, Mineral Oil, Natural and Artificial

Contains a source of live (viable) naturally occurring microorganisms.
*Bacillus subtilis, Bacillus licheniformis, Trichoderma reesei, Lactobacillus

"Bacillus subtilis, Bacillus licheniformis, Trichoderma reesei, Lactobacilli acidophilus, Lactobacillus casei, Bifidobacterium thermophilum, Enterococcus faecium

**One protease unit liberates 1 μ mol of tyrosine per minute under the conditions of the assay.

***One Thermostable Amylase Unit (TAU) is the quantity of enzyme converting 1.0 mg of starch (100% of dry matter) per minute in standardized conditions.

States of Arizona and California: Suncured Alfalfa Meal is used in place of Dehydrated Alfalfa Meal